

Gilbert Baitson



8625 - Marine Equipment - Motor and Sail Boats, Water Pumps, Marine Engines, Generators and Other Items

Ended 20 May 2024 13:08 BST

Northern Depot
Manby Airfield
Manby
Louth
Lincolnshire
LN11 8HE
United Kingdom

Lot	Description
1	Mitsubishi 11.5Ton Diesel Forklift,Model FD115,Max Lift height 4000mm,Side Shift,Fork positioning,Solid: Tyres Hours: 1759 Video of machine operating available
2	Toyota 3.5Ton Electric Forklift, Model 7FBJ35, Max Lift height: 6000mm, Side Shift: Yes , Tyres: Solid, Hours: 2030,Loler certified 2025 video of machine operating available
3	Caterpillar Model GP30K 3ton Gas Forklift, Lift height:4000mm, Side shift: Yes, Tyres: Solid,1425Hours Loler Certified 2025 Video of machine operating available
3A	JCB 3CX-4 Grey cab Sitemaster 4x4 Perkins Turbo Diesel engine, Ym 1989. 4in1 front bucket extenderdig back hoe. 4 back hoe buckets
4	Toyota Hilux HL2 2.5D 4WD Single cab pickup , manual, registration WF10 DXO, V5, MoT March 2025
5	Ford Transit 280 Swb 2.0TD, Manual Reg AK02 VKJ, Mileage 75,104,
5A	"WFEL Ltd portable ferry bridge pontoons, Marine grade Aluminium, max current speed laden 2.5M/s 4.85Knots Buoyancy 12000kg at 30Cm freeboard. one powered section Deutz BF4L2011 Diesel Driven Schottel typeSPJ2011 Pump Jet units2 non powered sections on Hooklift with Launch system "
5B	"WFEL Ltd portable ferry bridge pontoons, Marine grade Aluminium, max current speed laden 2.5M/s 4.85Knots Buoyancy 12000kg at 30Cm freeboard. one powered section Deutz BF4L2011 Diesel Driven Schottel typeSPJ2011 Pump Jet units2 non powered sections on Hooklift with Launch system "
5C	"WFEL Ltd portable ferry bridge pontoons, Marine grade Aluminium, max current speed laden 2.5M/s 4.85Knots Buoyancy 12000kg at 30Cm freeboard. one powered section Deutz BF4L2011 Diesel Driven Schottel typeSPJ2011 Pump Jet units2 non powered sections on Hooklift with Launch system "
5D	Thames flat bottom steel barge 26metres (85ft) x 7metres (22ft9) lot location Portsmouth
6	Caterpillar C12, 400Hp@ 1800Rpm Diesel Engine, Pump: Godwin Model CD300 Size 12x12 Flow: 1360M3/Hr Head: 57Metres, Max Press 6.1Bar, Max suct Press 4Bar, Solids 3 3/4" Tested with video
7	Caterpillar 3208T Marine V8 Turbo, 270Hp @2800rpm Diesel engine Pump SPP Type TD20E 10x8 Flow 2000us gal/min head 125psig 2800Rpm imp 11.81" 367Hours
8	Caterpillar 3208T Marine V8 Turbo, 270Hp @2800rpm Diesel engine Pump SPP Type TD20E 10x8 Flow 2500us gal/min head 125psig 2800Rpm imp 21.48" 316Hours

9	Cummins 6V378 V6 Non turbo 136hp @ 3300rpm Diesel Engine Ex standby Tested with video
10	Cummins 6V378 V6 non turbo 136hp @ 3300rpm marine Diesel Engine Ex standby Tested with video
11	Cummins Waterpump:N855F Marine, Diesel engine Pump Fairbanks Morse6x Flow 1500gal/min125psig 1770Rpm imp17.30" 1065Hours,
12	Cummins Waterpump:N855F Marine Diesel engine ,Pump Fairbanks Morse6x Flow 1500gal/min125psig 1770Rpm imp17.30" 1229hours
13	Cummins Waterpump:N855F Marine Diesel engine Pump Fairbanks Morse6x Flow 1500gal/min125psig 1770Rpm imp17.30" 1146hours
14	Cummins 6CTA8.3G2 219Hp @1500Rpm Diesel engine Used. Spare or repairs
15	Cummins 6CTA8.3G2 219Hp @1500Rpm Diesel engine Used. Spare or repairs
16	Cummins 8V504 V8 Non Turbo 105Hp @ 1500Rpm 210hp@ 2800Rpm Diesel Engine ex Standby
17	Cummins 8V504 V8 Non Turbo 105Hp @ 1500Rpm 210hp@ 2800Rpm Diesel Engine ex Standby
18	Cummins 8V504 V8 Non Turbo 105Hp @ 1500Rpm 210hp@ 2800Rpm Diesel Engine ex Standby
19	Cummins 8V504 V8 Non Turbo 105Hp @ 1500Rpm 210hp@ 2800Rpm Diesel Engine ex Standby
20	GM Detroit 16v92T V16 Turbo 1045hp @1500 Rpm Diesel Engine 431Hours
21	GM Detroit 16v92T V16 Turbo 1045hp @1500 Rpm Diesel Engine 431Hours
22	Detroit Waterpump: 6V92T310hp @2350Rpm Diesele engine pump: Armstrong10x8x14HF, Size 10x8 Flow2500US GPM 125 PSI 2350 Rpm 524 Hours
23	GM Detroit 6V92T V6 Turbo 277Hp at 1800rpm Marine Diesel engine Ex Standby
24	GM Detroit 8V71T V8 Turbo Diesel Engine Ex standby
25	GM Detroit 6V71T V6 Turbo Diesel Engine Reman 0Hours
26	GM Detroit 671 6cyl non Turbo Marine Diesel Engine Ex Standby Tested with video
27	GM Detroit Marine Diesel Engine: 671 6Cyl Non Turbo Ex Standby
28	GM Detroit Marine Diesel Engine: 671 6Cyl Non Turbo 302Hours
29	GM Detroit 471 4cyl non Turbo Diesel Engine tested with video

30	GM Detroit 671 6Cyl Non Turbo Diesel Engine 2316Hours
31	GM Detroit 671 6Cyl Non Turbo Diesel Engine:Used
32	GM Detroit 8V92TA V8 500Hp@2100Rpm Diesel Engine:spares or repairs
33	GM Detroit 353 3cyl non Turbo Diesel Engine:Allison ModelPTA41081 Over Centreclutch Used.
34	GM Detroit 471 4cyl non Turbo Diesel Engine spares or repair
35	GM Detroit 6V71 V6 Diesel engine incomplete spares or repairs
36	GM Detroit 6V92 V6 Diesel Engine: incomplete sparesor repairs
37	GM Detroit 453 4cyl Non Turbo Marine DieselEngine: 453 with Gearbox Used
38	GM Detroit 671 6cyl ShortMotor:
39	Dorman 6LE 6cyl Non Turbo Diesel Engine
40	Enfield Model HO2 twin cylinder Marine Diesel Engine with Parsons gearbox. Unused
41	FG Wilson/Marelli Diesel Power pack 130hp @1500rpm New
42	Fiat/Iveco 8281SRI03 v8 Turbo, App 440hp @ 2000rpm Diesel Engine SPP Pump type B085C,size 10x8 Head 137.7M Flow 121LPS @1615Rpm 330 Hours
43	Fiat/ Iveco 8281SRI03 v8 Turbo App 440hp @ 2000rpm Diesel engine, SPP Pump type B085C,size 10x8, Head 137.7M Flow 121LPS @1615Rpm 317 Hours
44	Foden FD6 Ex training school engine
45	75Kva Continuous 82Kva Standby Gas Turbine Generator open set Ex Standby
46	75Kva Continuous 82Kva Standby Gas Turbine Generator Ex open set Standby
47	75Kva Continuous 82Kva Standby Gas Turbine Generator Ex open set Standby
48	75Kva Continuous 82Kva Standby Gas Turbine Generator Ex open set Standby
49	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 45hours
50	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 Ex standby
51	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 Ex standby

52	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 Ex standby
53	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 Ex standby
54	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 Ex standby
55	Ford 4Cyl 1.8Litre Diesel Engine Pump Godiva GN1700 Ex standby
56	Gardner 8L3B 8cyl Non Turbo engine no 149618 Remanufactured Marine Diesel engine Tested with video
57	Isotta Fraschini L130GTS 6Cyl Turbo 748hp Marine Diesel engine Ex standby
58	Iveco 8215 6cyl Turbo Diesel Engine, Pump Weir model SDBZ250/300B, Size 12x10 Flow 906M3hr, Head 71.3metres, 1760Rpm, 173 Hours
59	Iveco 8061T 142Hp @2100rpm Armstrong Pump Type TD15f, size 6x5x15HSC, Flow 3785Lpm , Pressure 8.6Bar 754 Hours
60	Kubota Z482 Diesel Engine Pump Godwin Type CD80D In Trolley
61	Iveco 7450 4cyl Non Turbo,Denison T6DCM B38 Pump Flow @ 1500rpm P1 180.4L/Min—P2 25.8L/Min 1067Hours
62	Komatsu Marine DieselEngine: model 6D170-1,700Hp@1800 App520Kw@ 1800Rpm,23litre,6CylTurbo, Weight app 4000KgUnused 0hours
63	Kelvin Marine Diesel Engine:S-Dec Diesel,Model SC12E460.21CA1460hp @ 2100Rpm /340KW@2100rpm 11.8L 6Cyl Turbo Year man 2019Weight1308Kg Unused 0 hours
64	Komatsu Marine DieselEngines: Model SA6D140-1Approx 450Hp@ 2000Rpm/ 330Kw@2000rpm 6cyl Weight Approx1735kg Unused 0 hours
65	Komatsu Marine DieselEngines: Model SA6D140-1Approx 450Hp@ 2000Rpm/ 330Kw@2000rpm 6cyl Weight Approx1735kg Unused 0 hours
66	Komatsu Marine DieselEngines: Model SA6D140-1Approx 450Hp@ 2000Rpm/ 330Kw@2000rpm 6cyl Weight Approx1735kg Unused 0 hours
67	Kelvin Marine Diesel Engines:Model YC6TD650L-C20,650hp@1800Rpm/478Kw@1800Rpm, 19.5Litre,6Cyl Turbo YOM 2017Weight 2200Kg Unused,
68	Kelvin Marine Diesel Engines:Model YC6TD650L-C20,650hp@1800Rpm/478Kw@1800Rpm, 19.5Litre,6Cyl Turbo YOM 2017Weight 2200Kg Unused,
69	Kelvin Marine Diesel Engines:Model YC6TD650L-C20,650hp@1800Rpm/478Kw@1800Rpm, 19.5Litre,6Cyl Turbo YOM 2017Weight 2200Kg Unused,
70	Leyland JCB Marine DieselEngine: 498 80Hp @ 2500rpm/w Gearbox Zero Hours test run video available NB Lot Location Southampton SO14

71	Lister HRW6 45KvaContinuous 49Kva standby 3Ph 50Hz 1500Rpm open set Ex standby Test video
71A	Lister TS2 25Kva Continuous 27.5Kva Standby 3Ph 50Hz 1500Rpm 190Hours Silent
72	Lister TL3 14Kva Continuous 15Kva Standby Single Phase 50Hz 1500Rpm 306hours
73	Lister HRW3 12Kva Continuous 14 Kva Standby 3Ph 50Hz 1500Rpm with Hamworthy waterpump open set unused
74	Lombardini 11LD626 Diesel engine, Hydraulic pump: Salami type 2PB4 Ex winch unit in towable frame
75	Lombardini LDW2204T 4cyl Turbo Power pack
76	Perkins T4236 60Kva Continuous 66Kva Standby 3Ph 50Hz 1500Rpm 354Hours
77	Perkins Keel Cooled DieselEngine: M216/1106C,216Hp, 12Volt electronic,0Hours c/w panel and loom Please note this lot is located in Southampton SO14
78	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3" Ultra Silent Hushpac in Trailer
79	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3" Ultra Silent Hushpac
80	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3" Ultra Silent Hushpac
81	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3" Ultra Silent Hushpac
82	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3" In Trolley
83	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3" In Trolley
84	Perkins 403D15 Diesel Engine, Pump Godwin Type CD100M, Size 4x4, Flow: 230M3/Hr, Head: 38Metres, Max Pressure 2.8Bar Max Suct press 2.8Bar Solid 3"
85	Qty 10 Perkins 6cylCrankshafts Part No03470063_280611 New Nb lot location Southampton SO14
86	Rolls Royce Cv8 Ex training school Engine
86A	Rolls Royce SF6 Diesel Power pack 778Hours
86B	Rolls Royce C8T 250Kva Continuous 275Kva Standby 3Ph 50Hz 1500Rpm 1995 hours open set with base tank

86C	Rolls Royce C8T 250Kva Continuous 275Kva Standby 3Ph 50Hz 1500Rpm 2541 Hours open set with base tank
87	Scania DSI 11 62 Variant A43T Test Hours, Tested with Video
88	Volvo TD71OG 6cyl turbo Diesel Engine spares or Repairs weight 2500Kg
89	Volvo TD71OG 6cyl turbo Diesel Engine spares or Repairs weight 2500Kg
90	Yanmar 8LV370 337Hp@ 3683Rpm Marine Diesel engine c/W ZF 220 Ratio 1.128 95 hours test run video available NB Lot Location Southampton SO14
91	Wartsila Fuel pump Engine type 8RND90, P.T120MPa 2290PZW08, 9-107.071.172, PO 4500786224 New
92	Wartsila Fuel pump Engine type 8RND90, P.T120MPa 2290PZW08, 9-107.071.172, PO 4500786224 New
93	Wartsila Fuel pump Engine type 8RND90, P.T120MPa 2290PZW08, 9-107.071.172, PO 4500786224 New
94	Turbocharger: Napier Paxmantype HP210D Unused
95	Turbocharger: Napier Paxmantype HP210D Unused
96	Air Heaters: Webasto ModelHL90, Heat output Full 9KwHeat Flow 310m3/hr FuelDiesel, 24Volts, input 160Wfull heat , Unused
97	Radiator: Kamui typeAOA-H22A, , 3Ph 0.75Kwelectric motor New
98	Radiator: Covrad Part No354-42810 New Unused
99	Radiator: Covrad Part No354-42810 New Unused
100	Suzuki DF4 6Hp 4 Stroke short shaft outboard motor
101	Mariner 25HP outboard motor 2 stroke Short Shaft 104 hours Ex MOD
102	Mariner 25HP outboard motor 2stroke Short Shaft 67 hours Ex MOD
103	Mariner 25HP outboard motor 2 stroke Short Shaft 90 hours Ex MOD
104	Mariner 25HP outboard motor 2stroke Short Shaft 115 hours Ex MOD
105	Mariner25HP outboard motor 2 stroke Short Shaft 101 hours Ex MOD
106	Mariner25HP outboard motor 2 stroke Short Shaft 74hours Ex MOD
107	Mariner25HP outboard motor 2 stroke Short Shaft 115 hours Ex MOD

108	Mariner25HP outboard motor 2 stroke Short Shaft 105 hours Ex MOD
109	Mariner25HP outboard motor 2 stroke Short Shaft 93 hours Ex MOD
110	Qty 1 Marine Rope: 75Metres x32mm 3Strand ParabucklingRope
111	Qty 1 Marine Rope: 75Metres x32mm 3Strand ParabucklingRope
112	Fox Terrier 22 twin keeled yacht 6.73m long x 2.49m beam x 1.22m draft, 1200kg Hull GRP Ym 1989 Yanmar 1GM10 Diesel engine Ex MOD
113	Galstron model SSV167 Bowrider Hull: Fibreglass, LOA 16ft2 1/4 Beam 6ft6 x Transom width 6ft 4 x 3ft 2.on boat trailer
114	Broom ski/Wakeboard on boat trailer
115	Spirit Model V165 Bowrider, Hull Fibreglass, LOA 16ft7 Beam 6ft 8 on boat trailer
115A	"Beneteau Antares 600 c/w Yamaha 100hp Outboard motor Garmin Striker Vivid 9svOnwa KP-39A plotter with AIS Icom VHF YM 2004 On trailer "
116	Concrete sinker 5ft4 wide x 3ft4 high weight 4500kg
117	Concrete sinker 5ft4 wide x 3ft4 high weight 4500kg
118	Marine Gearboxes: ZFBW195S ratio 2.03:1 Used Low hours
119	Marine Gearboxes: ZFBW195S ratio 2.03:1 Used Low hours
120	Marine Gearboxes: ZFBW195S ratio 2.03:1 Used Low hours
121	Marine Gearboxes: ZFBW195S ratio 2.03:1 Used Low hours
122	Marine Gearboxes: ZFBW195S ratio 2.03:1 Used Low hours
123	Marine Gearboxes: ZFBW195S ratio 2.03:1 Used Low hours
124	Allison HD4560P 6 SpeedRugged Duty series GearboxReconditioned
125	Allison HD4560P 6 SpeedRugged Duty series GearboxReconditioned
126	Allison HD4560P 6 SpeedRugged Duty series Gearboxused
127	Allison HD4560P 6 SpeedRugged Duty series Gearboxused
128	Allison HD4560P 6 SpeedRugged Duty series Gearboxused

129	Allison HD4560P 6 SpeedRugged Duty series Gearboxused
130	Allison HD4560P 6 SpeedRugged Duty series Gearboxused
131	Hydrovane HV04RM, Max Work pressure 10 Bar, 20.1CFM, 4Hp 3Ph, 60Hz, 1760Rpm
132	Airmaster TypeTiger 10/65, Pressure 145Psi ,Bar 10, Flow 256,00 L/MinCfm 9.04, 2Hp .Single phase
133	Compressor: Clarke Air Model SE9AB, MWP 150Psi, 2Hp Single phase
134	Compressor: Dunlop Model Dach 200-30-1, 3Hp single phase
135	Aircooled Liquid Chiller/Heat pump: York modelYCAA B75, 29Kw, 3ph50Hz 230V or singlephase, 50Hz 400Volts10Bar
136	20ft Anti Vandal portable Office Container
137	20ft Generator Container
138	20ft Container on jack legs with Racking
139	Portakabin, serial no. PK281, maximum externaldimension - 8.63m x 2.87m x 2.64m (approx), withadded Steel sheet roof (160mm)
140	Refrigerated Trailer Body with Thermo King Condenser External dims 14ft1 x 7ft9w x 7ft4h, Internal body dims 13ft6Lx 7ft Wx 6ft7H
141	Able Truckmate 213/SA, Mercedes Type TE5/8KC7-9 Tri Axles, Disc Brake,Tyres Size 385/65 R22.5 Dims 8020mm L x 2240W capacity 21000Kg 57MM Tow hitch Yof M 2008
142	Hooklift flat rack iso 20ft twist locks
143	Atlas Model 85.1-A1 Lift Chart: 4033kg@1.9M 2350Kg@3.7M, 1630Kg @5.4m 1220Kg Load Torque 85KNm
144	Terex/ Atlas Model 85.2 –A1 Lift chart; 4300kg@1.9m 2350kg@3.74m 1630kg@5.4m Load Torque 85Knm
145	Grab: Kinshofer Model 331-1000-4H Capacity 2000kg
146	Grab: Kinshofer Model 331-1000-4H Capacity 2000kg
147	Grab: Kinshofer Model 331-1000-4H Capacity 2000kg
148	Hydraulic Winch: WindlassStatic test load 8Tonnes Unused Ex Mod
149	Hydraulic Winch C/W hydraulicpower pack. Drum inner dims 500mm Chaindriven, 7.5Kw, 3ph 50Hz Electric motor

150	Hydraulic Winch: ZollernType ZR6.24, Torque 13000Nm, rope load in layers 28Kn-3, Rope dia 20 RexrothHyd Pump AFM32/61W 32Cm3
151	Hydraulic Winch: ZollernType ZHP 420 Torque 7315Nm, Rope load in layer35 Kn2, Rope Dia 19, HydraulicPump: Rexroth Type A6VM107EZ4/63WXZB017TB-S, Vg/min 40CM3 Unused
152	Hydraulic Winches: SWL2ton, Drum in Dia 160MMRope Dia 15mm, Hydraulicpump: Mactaggart ScottSeries 90 type HMB3.9,Motor HM4678 Dis 3.93L/Rev, Rated press 210Bar, rated speed 70Rpm
153	Hydraulic Winches: SWL2ton, Drum in Dia 160MMRope Dia 15mm, Hydraulicpump: Mactaggart ScottSeries 90 type HMB3.9,Motor HM4678 Dis 3.93L/Rev, Rated press 210Bar, rated speed 70Rpm
154	Hydraulic Winches: Statictest load 2ton, SWL 1tonDrum in Dia 205MM RopeDia 8mm, Hydraulic pump:Mactaggart Scott Type MK8HMB2.0 Ex Mod
155	Hydraulic Winches: Statictest load 2ton, SWL 1tonDrum in Dia 205MM RopeDia 8mm, Hydraulic pump:Mactaggart Scott Type MK8HMB2.0 Ex Mod
156	20Ton Chain block proof tested to 30ton with tripod Unused
157	20Ton Chain block proof tested to 30ton with tripod Unused
158	20Ton Chain block proof tested to 30ton with tripod Unused
159	20Ton Chain block proof tested to 30ton with tripod Unused
160	Qty 1 500Metres x 8mm Wire rope Unused
161	Qty 1 500Metres x 8mm Wire rope Unused
162	Qty 1 35Metresx19MM RHL 1960 MBL 33.9T wire rope Unused
163	Qty 1 35Metresx19MM RHL 1960 MBL 33.9T Wire rope Unused
164	Wire Rope: 200Metres x22MM Unused
165	Wire Rope: 140Metres X28MM
166	Wire Rope: 22.5Metres x12MM WLL 2Ton
167	SPP type TD20 10x8 flow 9950LPM pressure 8.2bar Max workpressure 16Bar
168	Weir Size 8x8 Flow 2000usgpm Pressure 100psi @2000rpm
169	Armstrong Model 4x3x8.5 ECC Flow 1300Lm 5 bar Max 12 bar 2900Rpm imm 200mm Brook Hansen 30Kw Electric motor Ex Standby

170	Gorman Rupp model VG6E 8x6 pump max work pressure 228Psi can handle upto 1" spherical solids
171	Zeigler model FP22/15 Pump capacity220litres/min @ 15bars Unused ex Water cannon Unused
172	SPP Pump Type DQE9Y 12x 10 Flow 227l/s, head 70m
173	Sulzer Type APP 43-300, Flow Q=512L/S, Head 20.4M, size 12x14 1355Rpm Unused
174	Armstrong SV211 Vertical Pump, Flow 1.2-4.2m3/Hr Head 103-41M, Max head 117M Lowara 1.5Kw electric motor 3P Ex standby
175	Grundfos Type TP 100-90/4 Flow: 6935M3/Hr Rated Head 8.08M Max Head 90M 16Bar Max Water Density 998kg/m3 Electric Motor 3Ph 1445Rpm
176	Godwin pump model 125- 80-320 head 8.3bar, flow 1894lpm at3000 rpm max pressure 9.4 bar imp 270mm
177	Grundfos CRT4-2 Q 7m3/h H max 28MH16.3M, Electric Motor 0.75Kw, 3Ph 60Hz 3500Rpm New
178	Sulzer Type APP 41-300, Flow Q=158L/S Head 5.1M, Size 12x12 728Rpm, Unused
179	6x5 Waterpump, ABB 15Kw electric motor 3ph Unused
180	Grundfos CRT16 -2 Q 18m3/h H max 39.2M H32.1M New
181	Grundfos Type TP 100-90/4 Flow: 6935M3/Hr Rated Head 8.08M Max Head 90M 16Bar Max Water Density 998kg/m3 Electric Motor 3Ph 1445Rpm
182	SPP type TD20 10x8 flow 166LPSHead 83.6M pressure8.2bar
183	Waterpump 10x6
184	NijHuis Model HGTI-200.340 size 10x8 Capacity 568M3/H, Flow 2500Usgpm, Discharge 88kg/cm2,Pressure 125Psi, Imp 346mm, 2321Rpm
185	Godwin pump model 125- 80-320 head 8.3bar, flow 1894lpm at3000 rpm max pressure 9.4 bar imp 270mm
186	SPP Pump Type DQE9Y 12x 10 Flow 227l/s, head 70m
187	Blagdon 2" Double Diaphragm Pump, Flow 0-500Litres, Head 88Metres, Pressure8.6Bar Solid 1/4"
188	Grundfos pump model FK150-125-350 head 7.7bar, flow 4645Lpm at 2353rpm max pressure e10bar imp 311mm
189	Grundfos Type TP 100-90/4 Flow: 6935M3/Hr Rated Head 8.08M Max Head 90M 16Bar Max Water Density 998kg/m3 Electric Motor 3Ph 1445Rpm
190	Double Diaphragm Pump, Inlet & outlet 1.5" Unused

191	Zeigler model FP22/15 Pump capacity220litres/min @ 15bars Unused ex Water cannon Unused
192	Double Diaphragm Pump, Inlet & outlet 1.5" Unused
193	Gorman Rupp model VG6E 8x6 pump max work pressure 228Psi can handle upto 1" spherical solids
194	Megator L150Fluid Water Max cap 10m3/h43ugpm, Max Head 100ft30M 34Lb/SQ in 3Bar Suction22ftb 6.7metres 1.75Kw, 3Ph60Hz 844Rpm New
195	Flygt B2075.332MT flowmax 30metres 50lps 3.7kw60Hz 3ph
196	Flygt B2075.332MT flowmax 30metres 50lps 3.7kw60Hz 3ph
197	Flygt B2075.332MT flowmax 30metres 50lps 3.7kw60Hz 3ph
198	Flygt B2075.332MT flowmax 30metres 50lps 3.7kw60Hz 3ph
199	Blue Elephant Model MCI150x125-400 size: 6x5, Flow 300M3/h, pressure 16Bar 2300Rpm New
200	Double Diaphragm Pump, Inlet & outlet 1.5" Unused
201	Grundfos pump model FK150-125-350 head 7.7bar, flow 4645Lpm at 2353rpm max pressure e10bar imp 311mm
202	Mepco Type RB12-60-400-17-3, Size 6x6, 40Hp, Flow: upto 2200Gpm 175Psi, 1750Rpm10.75Imm, Electric Motor 30hp 3Ph Unused
203	Mepco Type RB12-60-400-17-3, Size 6x6, 40Hp, Flow: upto 2200Gpm 175Psi, 1750Rpm10.75Imm, Electric Motor 30hp 3Ph Unused
204	Roll of 150ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with Couplings
205	Roll of 150ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with Couplings
206	Roll of 150ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with Couplings
207	Roll of 100ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with Couplings
208	Roll of 100ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with Couplings
209	Roll of 100ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with Couplings
210	Roll of 50ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with couplings
211	Roll of 50ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with couplings
212	Roll of 50ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with couplings

213	Roll of 20ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with couplings
-----	--

214	Roll of 20ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with couplings
-----	--

215	Roll of 20ft 6inch 12.5bar New Heavy duty Angus Chemcoil layflat hose with couplings
-----	--

216	Qty 4 Angus 51Mm x 2MetresLayflat Hydrant hosewith Fittings
-----	---

217	Qty 4 Angus 51Mm x 2MetresLayflat Hydrant hosewith Fittings
-----	---

218	Qty 4 Angus 51Mm x 2MetresLayflat Hydrant hosewith Fittings
-----	---

219	Qty 4 Angus 51Mm x 2MetresLayflat Hydrant hosewith Fittings
-----	---

220	Qty 4 Angus 51Mm x 12MetresLayflat Hydrant hosewith Fittings
-----	--

221	Qty 4 Angus 51Mm x 12MetresLayflat Hydrant hosewith Fittings
-----	--

222	Qty 4 Angus 51Mm x 12MetresLayflat Hydrant hosewith Fittings
-----	--

223	Qty 4 Angus 51Mm x 12MetresLayflat Hydrant hosewith Fittings
-----	--

224	Qty 4 Angus 51Mm x 6MetresLayflat Hydrant hosewith Fittings
-----	---

225	Qty 4 Angus 51Mm x 6MetresLayflat Hydrant hosewith Fittings
-----	---

226	Qty 4 Angus 51Mm x 6MetresLayflat Hydrant hosewith Fittings
-----	---

227	Qty 4 Angus 51Mm x 6MetresLayflat Hydrant hosewith Fittings
-----	---

228	Qty 4 ChubbFire model FB5X MKII225Litres/min Bar 5.5 50UkGPM @ 80PSI G
-----	--

229	Qty 4 ChubbFire model FB5X MKII225Litres/min Bar 5.5 50UkGPM @ 80PSI G
-----	--

230	Qty 4 ChubbFire model FB5X MKII225Litres/min Bar 5.5 50UkGPM @ 80PSI G
-----	--

231	Qty 4 ChubbFire model FB5X MKII225Litres/min Bar 5.5 50UkGPM @ 80PSI G
-----	--

232	Qty 4 Chubb Firemodel FBU-5X Ex MOD
-----	-------------------------------------

233	Qty 4 Chubb Firemodel FBU-5X Ex MOD
-----	-------------------------------------

234	Qty 4 Chubb Firemodel FBU-5X Ex MOD
-----	-------------------------------------

235 Qty 4 Chubb Firemodel FBU-5X Ex MOD

236 Qty 4 Chubb Fire Jet Spray flush Nozzle: Ex MOD

237 Qty 4 Chubb Fire Jet Spray flush Nozzle: Ex MOD

238 Qty 4 Chubb Fire Jet Spray flush Nozzle: Ex MOD

239 Qty 4 Chubb Fire Jet Spray flush Nozzle: Ex MOD

240 Qty 4 Chubb Fire model FB10/10 Foam Branch PipeEx MOD

241 Qty 4 Chubb Fire model FB10/10 Foam Branch PipeEx MOD

242 Qty 4 Chubb Fire model FB10/10 Foam Branch PipeEx MOD

243 Qty 4 Chubb Fire model FB10/10 Foam Branch PipeEx MOD

244 Spilkleen,Size 300x 7.5cm, Absorbency11Litres per sock. pack contains8 socks,

245 Spilkleen,Size 300x 7.5cm, Absorbency11Litres per sock. pack contains8 socks,

246 Spilkleen,Size 300x 7.5cm, Absorbency11Litres per sock. pack contains8 socks,

247 Spilkleen,Size 300x 7.5cm, Absorbency11Litres per sock. pack contains8 socks,
