

Gordon Brothers



ASSETS FORMERLY OF KENSEY FOODS - SALE 2

UNRESERVED - Food Production Machinery, Packaging and Warehouse Equipment etc.

Launceston
United Kingdom

Ended 21 Jan 2020 15:42 GMT

Lot	Description
1	Trepko Pot Product Line (Approx 16m) Comprising: Adjustable width continuous conveyor; 6 lane pot dispenser; 5 x 6 lane mobile depositors; 3 x hopper lifts; crumble dispenser; pinch film roller with Pro-Face controls; pot lift and sweep outfeed; off station electrical control panel (Risk Assessment ...[more]
3	BWI Holmatic Pot Product Line (Approx 13m) Comprising: Continuous conveyor with interchangeable pot platens; 4 lane pot dispenser; 2 x 4 lane hopper depositors; 4 lane heat seal unit with Uni Op controls; pot lift and sweep outfeed; on station electrical control panel, Serial No. 419928; Syspal, Typ ...[more]
5	Universal Cake / Pastry Line (Approx: 11m) comprising: Rademaker single roll extruder; motorised belt conveyor; flour duster and twin roll extruder; shape cutter; through feed conveyor with on station Schneider Electric controls (Risk Assessment and Method Statement required prior to removal)
8	Apple, sponge line comprising: through feed conveyor, width: 50mm; hopper infeed and M2000 depositor (2000); glazing station and Schneider Electric controls
20	Flexi-Pak, 4 head mobile depositor, Serial No. 1840 (2016) with hopper infeed and touch screen controls
21	Flexi-Pak, 4 head mobile depositor, Serial No. 1847 (2016) with hopper infeed and touch screen controls
22	Flexi-Pak, twin head mobile depositor, Serial No. 1835 (2016) with hopper infeed
23	Flexi-Pak, twin head mobile depositor, Serial No. 1835 (2016) with hopper infeed
32	Edenweigh, Model: ED2 Servo, mobile twin lane depositor with hopper infeed and touch screen controls
33	Edenweigh, Model: ED2 Servo, mobile twin lane depositor with hopper infeed and touch screen controls
34	Edenweigh, Model: ED1-4 Servo, rotary pot deposit unit with touch screen controls; 2 x hopper infeeds and 4 x 4 pot stations
35	Unifiller, Model: PRO1000i, mobile twin lane depositor, Serial No. IPRD 10669 with hopper infeed and adjustable height
38	Unifiller, Model: PRO1000i, mobile twin lane depositor, Serial No. N/A with hopper infeed and adjustable height
39	Unifiller, Model: PRO1000i, mobile twin lane depositor, Serial No. N/A with hopper infeed and adjustable height
40	Unifiller, Model: PRO1000i, mobile twin lane depositor, Serial No. 10660 with hopper infeed and adjustable height

78	Unbadged mobile twin lane depositor with 2 x hopper infeeds and piping attachments, as lotted
79	Unbadged mobile twin lane depositor with 2 x hopper infeeds and piping attachments, as lotted
83	Unbadged mobile twin lane depositor with hopper infeed, access ladder and associated equipment, as lotted
86	Unbadged mobile twin lane depositor with hopper infeed, access ladder and associated equipment, as lotted
90	Flexi-Pak, mobile 4 head biscuit rake crumbling machine, Serial No. 1843 (2017) with infeed divider; through feed belt conveyor and touch screen controls, working width: 80cm
96	Stainless steel mobile table top lift
99	Sollich Decomatic / DC4-620, chocolate decorating machine, Serial No. 31454005 (2017) with through feed belt conveyor;
100	Sollich, Model: Minitemper Turbo MT100, mobile chocolate tempering unit, Serial No. 31454030 (2017) with on station control panel;
101	Sollich, Model: RT 250-K VA, 250kg mobile chocolate melting tank, Serial No. 31454035 (2017) with vibratory sieve attachment and on station control panel;
102	Sollich, Model: RT250-K VA, electrical control panel
116	Spray-on-Technology, mobile glazing machine with through feed mesh conveyor, width: 650mm with product recycle hopper
120	Winkworth, Type: RT400-122, 400L paddle mixer, Serial No. 17939 (2017) with on station electrical control panel
122	Winkworth, Type: RT400, 400L paddle mixer, Serial No. 17145 (2010) with on station controls
137	Brook Foods plant mixer, complete with paddle, whisk, dough hook and 2 x mixing bowls (60cm dia)
141	Unbadged, internal silo hopper infeed with Dustcheck extraction and Ian Fellows programmable dosing by weight
143	Siloba, internal silo infeed hopper with Siemens Simatic Panel controls
144	Siloba, Type: A-SFT20C1F2N, internal silo infeed hopper
158	CPS Cooking Station comprising: 500L jacketed pressurised cooking vat, Serial No. DFB-4474 (2005) with 2 x agitators, integrated load cells, access staging, electrical control panel and all associated equipment, as lotted (Risk Assessment and Method Statement required prior to removal)
160	Joni, Model: Kettle Multimix, 100L steam cooking vat, Serial No. 016293-3629 (2013) with controls
161	Metos, Model: Proveno Cool Pro 80E, Approx 100L cook and cool vat, Serial No. 10911006040010

162	Metos, Model: Proveno 2G 300EM, 300L cook and cool vat, Serial No. 10911412050010 (2014) (May be suitable for parts and spares only)
166	Metos, Type: Proveno 2G 300EM, 300L cook and cool vat with tilting function, Serial No. 10911504090020 (2015) with Hackmann controls
167	Kettle, Model: Multimix, 300L cook/chill vat with tilting function, Serial No. 016293-2638 (2016) Temp: -15 to 125°c
168	Kettle, Model: Multimix, 300L cook/chill vat with tilting function, Serial No. 016293-6237 (2016) Temp: -15 to 125°c
170	Wincanton Twin Vat Cooking Station Comprising: 2 x jacketed cook vats, Serial No's. P1806 (1998) and P1083 (1997) each with agitator and 3 x heaters, Weigh Tronix load cells and Avery Berkell scales; electrical control panel, access staging and all associated pipework, as lotted (Risk Assessment an ...[more]
180	DC Norris, Model: MM300, 300kg cooking vat, Serial No. N2722 (2012) with tilting function and Joni controls
181	DC Norris, Model: MM300, 300kg cooking vat, Serial No. N2723 (2012) with tilting function and Joni controls
182	DC Norris, Model: DA300, 300L jacketed pressurised cook vat, Serial No. 3258 (2017) with on station controls, Temp: -5 to 95°c
183	DC Norris, Model: DA300, 300L jacketed pressurised cook vat, Serial No. 3259 (2017) with on station controls, Temp: -5 to 95°c
184	DC Norris, Model: DA 300, 300L pressurised glycol cooling vat, Serial No. N2719 (2012) with Eurotherm on station controls
185	DC Norris, Model: DA 300, 300L pressurised cook vat, Serial No. N2720 (2012) (may be suitable for parts and spares only, no control panel)
200	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-6242-F (2012)
201	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-6242-H (2012)
204	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-5749-A (2010)
206	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-4624-B (2005)
207	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-5749-E (2010)
208	CPS, jacketed and pressurised 500kg storage mobile vessel with forklift attachment, Serial No. DFB-4624-B (2005)
209	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-5749-B (2010)
213	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-6242-A (2012)
214	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-4899-A (2006)
215	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-4624-C (2005)

217	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-4476-B (2005)
218	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment, Serial No. DFB-4476-C (2005)
228	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
229	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
230	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
231	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
232	Tetra-Pak, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
233	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
234	CPS, jacketed and pressurised 500kg mobile storage mobile vessel with forklift attachment
235	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment
236	CPS, jacketed and pressurised 500kg mobile storage vessel with forklift attachment (no lid)
237	CPS, jacketed and pressurised 500kg mobile storage vessel with mobile trolley (2003)
240	Tetra-Pak, Type: E18 CFG, plate heat exchanger, Serial No. 08064 (2008) with hot or cold function and associated motors, pipework, as lotted
275	Arcadian, 4 rack rotary oven with dual side access and on station controls, Serial No. ACA-OV01 (Age Approx. 3 years, awaiting confirmation) (Risk Assessment and Method Statement required prior to removal - any remedial works required to ground must be undertaken by the buyer)
276	Arcadian, 4 rack rotary oven with dual side access and on station controls, Serial No. ACA-OV02 (Age Approx. 3 years, awaiting confirmation) (Risk Assessment and Method Statement required prior to removal - any remedial works required to ground must be undertaken by the buyer)
277	Arcadian, 4 rack rotary oven with dual side access and on station controls (Risk Assessment and Method Statement required prior to removal - any remedial works required to ground must be undertaken by the buyer)
279	Double D, Model: Revorack, 4 rack rotary oven with dual side access and on station controls (Risk Assessment and Method Statement required prior to removal - any remedial works required to ground must be undertaken by the buyer)
280	Double D, Model: Revorack, 4 rack rotary oven with dual side access and on station controls (Risk Assessment and Method Statement required prior to removal - any remedial works required to ground must be undertaken by the buyer)
353	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)

354	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
355	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
357	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
358	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
359	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
360	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
361	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
362	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
363	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
364	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
365	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
366	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
367	10 x Mobile trolleys each with 20 cooling/storage racks (70mm deep) (these will be allocated on a first come first served basis)
490	Rentokil fly killer (no plug)
491	Rentokil fly killer (no plug)
508	Eco-Lab insect-o-cuter, fly killer
600	CIP System Comprising: Tetra-Pak fresh water tank, Serial No. DFB-5254-FWT (2008); Tetra-Pak reclaim tank, Serial No. DFB-5254-RWT (2008); Tetra-Pak detergent tank, Serial No. DFB-5254-DT (2008) with all associated pipework as lotted (does not include pipework throughout building) (Risk Assessment a ...[more]
601	CIP System Comprising: Wincanton fresh water tank, Serial No. DFB-4214-FWT (2003); Wincanton reclaim tank, Serial No. DFB-4214-RWT (2003); Wincanton detergent tank, Serial No. DFB-4214-DT (2003) with all associated pipework as lotted (does not include pipework throughout building) (Risk Assessment a ...[more]
605	Kitzinger Takta, twin station bin wash system with Schneider Electric controls
606	Oliver Douglas Ltd, Type: Bullit S6, tray wash machine, Serial No. 10/3827, work width: 850mm, length Approx. 10m
607	Unbadged fruit wash station, internal width: 1.10m x 7m overall

608	Kitzinger, tray/parts sanitiser tunnel
611	Kitzinger, Model: CONTINO400, tray/parts sanitiser tunnel (Separate clearance may be required)
620	Packaging Automation Limited, mobile 6 pot sealing machine, Serial No. 170518214945 (tooling for 86mm pots)
621	Packaging Automation Limited, mobile 4 pot sealing machine, Serial No. E894182 (tooling for 86mm pots)
622	Packaging Automation Limited, mobile twin pot sealing machine, Serial No. 13241829655
625	Bradman Lake Packaging Station Comprising: motorised decline belt conveyor, Approx 8m with WMH control panel; plastic slat infeed conveyor; product end loader; SL904 3-head carton suction unit; product sweeper; glue pod with Robatech hot glue applicator; outfeed belt conveyor; Allen-Bradley, Panelvi ...[more]
626	Fisher-Matthews Packing Station Comprising: motorised decline belt conveyor, Approx 6m with WMH control panel; plastic slat centering conveyor; carton forming machine, Serial No. 2115 with Nordson Vista hot glue applicator; Allen-Bradley, Dataliner controls and outfeed belt conveyor, as lotted
627	Kliklok Packing Station Comprising: motorised decline belt conveyor, Approx 5m with WMH control panel; plastic slat centering conveyor to belt conveyor; single file infeed conveyor to Certiwrap C150, cartoning machine (carton size 290 x 172); Nordson, ProBlue 4 hot glue applicator; Allen-Bradley, Pa ...[more]
629	Thermo Scientific, Apex 300 metal detector with Ramsey, Versaweigh checkweigher; reject station with through feed belt conveyor, as lotted
630	Smurfit Kappa, automatic box and seal machine with Nordson, ProBlue hot glue applicator and Allen-Bradley, Panelview Plus 700, controls
631	Smurfit Kappa, Type: TP1000, automatic pick and place packing machine, Serial No. UKB565 with Allen-Bradley, panelview Plus 1000 controls and outfeed belt conveyor
633	Bestpack, Model: AQ12-2, mobile box taping machine, Serial No. 045039
634	Bradman Lake Packaging Station Comprising: curved plastic slat decline conveyor to motorised centering belt conveyor; product end loader and spacing unit; SL904 cartoning machine (2006) with Nordson, ProBlue 4 hot glue applicator; Allen-Bradley, Panelview Plus 1000 controls and outfeed plastic slat co ...[more]
636	Thermo Goring Kerr, Model: Accustar checkweigher, Serial No. 5055 (2001) with through feed belt conveyor and reject station
637	Bradman Lake Packaging Station Comprising: motorised infeed centering conveyor; SL90 cartoning machine, Serial No. 5463 1095; WMH outfeed belt conveyor, as lotted
640	Kliklok cartoning machine, Serial No. K27466-KM (2010) with Nordson, ProBlue Liberty 7 hot glue applicator; plastic slat outfeed conveyor, as lotted
643	Soco System, Model: T402 box taping machine, Serial No. 101-2000 (2000) with infeed/outfeed conveyor
645	Bestpack, Model: AQ12-2, mobile box taping machine, Serial No. 035026 (2003)

648	Endoline, Model: Phoenix P6-FP-T box taping machine, Serial No. 1000658065-1 with through feed roller conveyor
662	Motorised wire mesh glazing conveyor, 1.65m (l) belt width: 480mm
675	WCL motorised plastic mesh belt conveyor, 3m (l) belt width: 910mm
676	WCL motorised mobile belt conveyor, 4.3m (l) belt width: 295mm (no motor)
679	Western Mechanical Handling, Model: REX1255, curved plastic mesh motorised conveyor, Serial No. 8251-05 (2010) belt length: 10,000mm x 250mm (w)
686	Motorised retracting belt conveyor, Approx. 5.3m (l) belt width: 650mm
689	WCL motorised mobile belt conveyor, 3.7m (l) belt width: 280mm
690	Western Mechanical Handling, motorised mobile belt conveyor, 2.5m (l) belt width: 285mm
696	WCL motorised belt conveyor, 2m (l) belt width: 390mm
698	Motorised belt conveyor with centering bars, 2.64m (l) belt width: 300mm
699	WCL motorised up and over incline belt conveyor, 6m (l) belt width: 300mm with under gravity roller conveyor, 5.7m (l) x 300mm (w)
700	Syspal motorised up and over incline belt conveyor, 4m (l) belt width: 320mm with under gravity roller conveyor, 3m (l) x 300mm (w)
707	Motorised plastic mesh conveyor, 1.5m (l) belt width: 510mm
721	JLA, Type: CHH164, 165L industrial washing machine, Serial No. 6501231 (2000)
780	6 compartment; 3 x 3 compartment and 2 x 9 compartment, personnel storage lockers, some with/without keys, as lotted
781	9 x 6 person shoe and coat storage lockers (one door missing) some with/without keys, as lotted
782	8 x 6 person shoe and coat storage lockers (one door missing) some with/without keys, as lotted
784	2 x 3 compartment personnel lockers; 5 x 6 compartment personnel lockers; 1 x 6 person shoe and coat storage lockers, some with/without keys, as lotted
860	Coolers & Condensers, stainless steel single fan chiller unit (2005) Max: 100°C Min: -50°C (Lift out charge to bring unit to ground: £150)
861	Coolers & Condensers, stainless steel single fan chiller unit Serial No. SOP19355 (2005) Max: 100°C Min: -50°C (Lift out charge to bring unit to ground: £150)
862	Coolers & Condensers, stainless steel single fan chiller unit (2005) Max: 100°C Min: -50°C (Lift out charge to bring unit to ground: £150)

864	Coolers & Condensers, stainless steel single fan chiller unit, Max: 100'c Min: -50'c (Lift out charge to bring unit to ground: £150)
869	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
870	Coolers & Condensers, single fan chiller unit (Lift out charge to bring unit to ground: £150)
871	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
872	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
873	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
874	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
875	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
876	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
877	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
878	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
879	Coolers & Condensers, twin fan chiller unit (Lift out charge to bring unit to ground: £150)
880	Coolers & Condensers, single fan chiller unit (Lift out charge to bring unit to ground: £150)
884	Coolers & Condensers, Model: CA10, twin fan chiller unit, Serial No. 9104104C (1991) (Lift out charge to bring unit to ground: £150)
885	Coolers & Condensers, Model: CA10, twin fan chiller unit, Serial No. SOP009219 (1998) (Lift out charge to bring unit to ground: £150)
886	Coolers & Condensers, Model: CA10, twin fan chiller unit, Serial No. 9104104 (1991) (Lift out charge to bring unit to ground: £150)
887	Coolers & Condensers, Model: CA10, twin fan chiller unit, Serial No. 9104104 (1991) (Lift out charge to bring unit to ground: £150)
891	Coolers & Condensers, Model: CA10, twin fan chiller unit, Serial No. 0009219 (1998) with support frame (Lift out charge to bring unit to ground: £150)
892	Coolers & Condensers, Model: CA10, twin fan chiller unit, Serial No. 9506836 (1995) with support frame (Lift out charge to bring unit to ground: £150)
893	Coolers & Condensers, Model: CA10, twin fan chiller unit with support frame (Lift out charge to bring unit to ground: £150)
894	Coolers & Condensers, Model: CA10, twin fan chiller unit with support frame (Lift out charge to bring unit to ground: £150)
895	Coolers & Condensers, triple fan chiller unit (Lift out charge to bring unit to ground: £150)

896	Coolers & Condensers, Model: DAQ2, single fan chiller unit, Serial No. 12000 (2000) (Lift out charge to bring unit to ground: £150)
897	Coolers & Condensers, Model: DAQ2, single fan chiller unit, Serial No. 12000 (2000) (Lift out charge to bring unit to ground: £150)
898	Coolers & Condensers, triple fan chiller unit (Lift out charge to bring unit to ground: £150)
899	Coolers & Condensers, triple fan chiller unit (Lift out charge to bring unit to ground: £150)
924	Dissolved Air Flotation System ("DAF") comprising: serpentine, white water unit, 2 x Mono pumps, Polymer unit, 3 x feed pumps and off station control panel; Capacity: 23m ³ per hour, as lotted (Risk Assessment and Method Statement required prior to removal)
926	2 x Pallets of Mondomix spares to include: mixing head parts, foots, seals, paddles, o rings, valves etc., as lotted (please refer to photos for further detail)
927	Box of bespoke Smurfit Kappa spares to include: safety relays, servo motors, vacuum cups etc., as lotted (please refer to photos for further detail)
928	Box of Kliklok spares to include: belts, tabs, back plates, clip springs, vacuum pump, gearbox etc., as lotted (please refer to photos for further detail)
929	2 x Pallets of Comas line spares to include: motors, CPU, encoder, gears, switches, wires etc., as lotted (please refer to photos for further detail)
931	2 x Boxes of various bearings (please refer to photos for further detail)
934	4 x Boxes of PA Sealer parts to include: belts, springs, thermocouplers, heater pads, cutting blades, white domed rubber, gearbox exit etc., as lotted (please refer to photos for further detail)
937	Misc lot comprising: spares for Bakon glazers, hot fill despositors, Joni vats, Unifiller and checkweigh's, as lotted (please refer to photos for further detail)
939	Pallet containing 2 x Scancassiano motor spares, as lotted (please refer to photos for further detail)
940	Pallet and boxes of BWI line spares to include: 4 lane current tooling, gear motors, cylinders, scrolls, sensors, seals etc., as lotted (please refer to photos for further detail)
943	Pallet of various timing and V belts, as lotted (please refer to photos for further detail)
948	Siloba, bulk storage silo (1998) Capaicty: 30 tonne; In feed, air blown, filters attached
955	BT, Model: RWE120, 1200kg electric pedestrian stacker truck, Serial No. 968763 (2007) Hours: 1106