



Gordon Brothers

CNC & Conventional Woodworking Machinery, Showroom
Kitchen Displays, Warehouse Equipment

Kelvin Road
Greenbridge Ind. Est.
Swindon

Optiplan Kitchens Limited - In Administration

SN3 3JW
United Kingdom

Ended 09 Feb 2023 16:07 GMT

Lot	Description
1	Weeke Vantage 200 BHP200 / Vantage 710 high performance CNC gantry processing machining centre with panel nesting capability, working field width 2250mm, working field length 3100mm, thickness 100mm maximum, with vacuum capacity 900/1080 m3/h @50/60 Hz, automatic positioning of the rawpanels against ...[more]
2	Weeke Vantage 200 BHP200 / Vantage 710 high performance CNC gantry processing machining centre with panel nesting capability, working field width 2250mm, working field length 3100mm, thickness 100mm maximum, with vacuum capacity 900/1080 m3/h @50/60 Hz, automatic positioning of the rawpanels against ...[more]
3	Weeke Bargstedt TFL 210 TLF 1212 twin-lane automatic gantry type panel storage and retrieval nesting system with Sick light guards and safety enclosure fencing around enclosure, Power control PC22 control system, 2 banks of 3 x Busch MM 1322A VM3 vacuum pumps mounted in MPO640 frames, 16 head vacuu ...[more]
3A	All inclusive Lot comprising Lots 1, 2 and 3 consisting of: two Weeke Vantage 200 BHP200 / Vantage 710 high performance CNC gantry processing machining centres with panel nesting capability and Cut Rite nesting terminal plus 1 x Bargstedt TFL 210 TLF 1212 twin-lane automatic gantry type panel storag ...[more]
4	Weeke Optimat ABD260-12 drilling and dowel Inserting machine, X, Y and Z axis directions are all CNC controlled, 3 horizontal individually selectable drilling spindles with 32 mm pitch for drilling and dowelling, workpiece dimensions Length 20-250mm, width 20-800mm, thickness 10-80mm, glue injector ...[more]
5	Weeke Optimat BHX 055 vertical machining centre with 13 vertical high-speed drilling spindles and quick change drill system, spindle speed 1500 to 7500 r.p.m, maximum workpiece dimension 3050mm x 850mm x 60mm, minimum workpiece dimensions 200mm x 70mm x 12mm, vector speed 50m min (X-Y) & 15m/min ...[more]
6	Brandt Highflex 1650 KDF 650 single sided edgebander, edge material thickness up to 15mm, thickness of the edgeband in a roll maximum 3mm, high capacity hot air glue application, glue cleaning, scraping and corner rounding, large touch screen control panel also including a Ligmatech - Optimat Boomer ...[more]
7	OTT L-Shark Edgebander with adhesive glue application roller, glue cleaning, scraping and corner rounding , edging width capacity up to 15mm, thickness from .02 to 3mm, panel thickness 8mm to 50mm, panel width 70mm minimum , panel length 150mm minimum, feed speed maximum 22m a minute including a 6 ...[more]
8	OTT L-Shark Edgebander with adhesive glue application roller, glue cleaning, scraping and corner rounding , edging width capacity up to 15mm, thickness from .02 to 3mm, panel thickness 8mm to 50mm, panel width 70mm minimum , panel length 150mm minimum, feed speed maximum 22m/ minute, also including ...[more]
9	Busellato Jet Optima C1 machining centre fitted with Router head, 8 - position tool changer, vacuum table approx. size 3m x 1.35m with Becker Picc H10 2200 vacuum pump, 400 volts, 10 Am, CE marked (please note main drilling spindle is faulty and missing so will need to be replace by the buyer of th ...[more]

10	SCM / Casadei SC 400A table panel dimensioning saw with rise, fall, tilt table with electric brake, start stop, sliding table, digital cross-cut stops, saw blade diameter min 300mm - max 400mm, 7.5hp main motor, main table size 2.06m x 1.8m 400 volt, CE , S/No. AB-203889, DOM 2010, location Unit 3
11	Brandt Optimat KTD720 Edgebander workpiece thickness 10 - 55 mm, Edge thickness 0,5 - 3 mm x up to 15mm wide, Workpiece thickness 10 - 55 mm, Workpiece width minimum. 30 mm, edge length minimum. 180 mm, Coil cut-off 0,5 - 1,0 mm, coil cut-off 1,0 - 3,0 mm (edge height max. 30 mm), feed speed variabl ...[more]
12	Delfin D/M3-001 mobile dust extractor with L filter fitted, 230 volts, 3.45 Kw, S/No. 140760767, DOM 2014, location Unit 3
14	Dexion PSS 2KL85-150 6-bays of medium duty boltless racking currently configured as double depth rack for holding 2800mm x 2070mm board, consisting of 14 x 4m (H) x .7m (W) uprights, 72 x 3.1m medium duty crossbeams, 53 support cross bars including Rack Armour upright leg protection guarding (conte ...[more]
15	Unbranded mobile Industrial vacuum cleaner 230 volts (No makers Plate), location Unit 3
16	Unbranded mobile Industrial vacuum cleaner 230 volts (No makers Plate), location Unit 3
17	Contact WP-STD--Castors two men fork truck safety lifting cage on castors, 500 Kg maximum capacity, S/No. J90343, DOM 2014, location Unit 3
18	Leonard fork truck tipping skip, 1500mm x 1000mm, 2500Kg capacity, DOM 2001, location Unit 3
19	Leonard fork truck tipping skip, 1500mm x 1000mm, 2500Kg capacity, DOM 2001, location Unit 3
20	Clarke Strongarm PT685BM wide fork pallet truck fork width 680mm x 1150mm long, 2500 KG capacity, location Unit 3
21	Master P491 PET fabric strapping banding tool with mobile strapping reel holder, location Unit 3
22	Link 51 adjustable boltless board storage racking consisting of 12 x 3m x .9m uprights, 38 x 2.8m crossbeams and 26 divider board support arms (excluding contents - acceptance of the final bid on this lot is subject to the contents being removed prior to collection) location Unit 3 and 4
23	Roller conveyor with height adjustable legs, 600mm wide rollers x 5.2m long, height currently set at .7m, location Unit 3
24	Two vertical board storage internal transportation trollies 2m (L) x 1m (w) x 1.55m (h) with extension arm, location Unit 3
25	Warehouse steps, 3 tread, location Unit 3
26	Two Rapid Racking L30 benches with chipboard top and bottom shelve, size 1 x 800mm x 1.9m x 800mm, 1 x 770mm x 1.83m x 930mm, location Unit3
27	Wickes Domestic 2 section extension aluminium ladder, safe working height 5.22m, location unit 3
28	Henry Unmatic vacuum Cleaner with Lo/Hi speed settings, 230 volts, 1200w, S/No.1405294, location Unit 3
30	Shrinkfast 998 propane gas heat gun, S/No. Ho24628, DOM 2007, location Unit 2

31	Shrinkfast 998 propane gas heat gun, location Unit 2
32	Rapid Racking five benches with chipboard tops 1 x 2.2m x 1.3m x 940mm, 2 x 2.45m x 920mm x 950mm with single door cupboard, 1 x 2.2m x 1.3m x 840mm, 1 x 1.84m x 1.84m x 830mm, location Unit 2 (Contents on benches not included)
33	Stronglock 2K85 boltless pallet racking consisting of 5 bays with 3 x 2.7m x .9m uprights, 5 x 3.4m x .9m uprights, 34 x 3.2m medium/high duty crossbeams, location Unit 2 contents excluded - acceptance of the final bid on this lot is subject to the contents being removed prior to collection)
34	Mobile drop side flat bed pedestrian flatbed warehouse trolley, 2.5m (L) x 1.3M (W) x .52M(H), location Unit 2
35	Mobile drop side flat bed pedestrian flatbed warehouse trolley, 2.5m (L) x 1.3M (W) x .52M(H), location Unit 2
36	Mobile warehouse trolley 1.2m (L) x .7m (W) x .26m (H), location Unit 2
37	Clarke CST18 Sack trucks (Qty 3), location Unit 2
38	4-bays of Dexion medium duty racking consisting of 6 x 3.4m x .9m uprights and 36 x 3.2m medium duty crossbeams (Please note that the contents is not included - acceptance of the final bid on this lot is subject to the contents being removed prior to collection), location Unit 1
40	Rapid Racking light duty adjustable shelving with chipboard shelf inserts, consisting of LA72 and LA24 components shelving parts, size of each shelf 44 x 1.84m (L)x .6m (W), total height of shelving 1.99m location Unit 1 on Mezzanine floor (Please note that the contents is not included - acceptan ...[more]
41	26 bays of various light duty adjustable shelving with chipboard shelving inserts, 130 shelving positions, shelf size 890mm (L) x 440mm (W) & 890mm (L) x 590mm (W) total shelving height 1.79m including 4 bays of Rapid Racking with 12 x 920mm (L) x 760mm (W) 2m high shelving and 2 x 1.83m (L) x ...[more]
42	Clarke Strong - Arm CPF200 300Kg capacity warehouse flatbed parts trolley with fold down handle bed size 870mm x 570mm, location Unit 1 on Mezzanine floor
43	QMP Steel double door red hazardous substance storage cupboard size 900mm (W) x 450mm (D) x 700mm (H), location Unit 1 on Mezzanine floor
44	Samag Ego 10 pedestrian controlled electric pallet truck, 1,000 kg capacity, maximum lift height 3500mm, S/No.19340, DOM 2004, location Unit 1
45	Unbranded 1500Kg fork Pallet truck forks 550mm (w) x 1100(L) (Please note damaged front wheels), location Unit 1
46	Otto Mayer PS 9Z front loaded beam saw with suction panel lifting gantry fitted with IPC 5000 windows 98 control system, table wing size 3 x 600mm x 2m long, 3100 mm cutting length , 100mm maximum saw blade projection, 9Kw main saw motor & 1.1 kw scoring motor, 350 mm diameter main blade and 12 ...[more]
47	HPC Kaeser ASD32 packaged air compressor with Sigma control, maximum working pressure 11 bar, with option K1 and 1 CE marked 415 volts, S/No. 1150 DOM 2007, location Unit 4
48	Ingersoll Rand SSR M15 rotary screw air compressor, maximum working pressure 7.5 bar, 3150 recorded running hours, S/No. 218273, location Unit 4

49	Radnal Pneumatics 340 Lts welded vertical air receiver tank with Ingersoll Rand DS024 air dryer , R134a refrigerant, nominal air flow 3° - 7 ° dewpoint is 35 CFM, location Unit 4
50	Leonard fork truck tipping skip, 1500mm x 1000mm, 2500Kg capacity, location Unit 4
52	Dust Pollution Systems Lbag Single bag dust collection unit, 400 volts 3 Ph., S/No.6083/16, DOM 2016, location Unit 4
54	Dust Pollution Systems Lbag Single bag dust collection unit, 400 volts 3 Ph., S/No.6084/16, DOM 2016, location Unit 4
56	Fox F50-842 single bag aspirator dust collection unit, 230 volts 1500 watts, S/No. 02F5084218G4710015, location Unit 4
57	Makita DXT LS1216L mitre saw with swivel table, 230 volts 1600w, including small extraction vacuum collector, S/No. 4359G, DOM 2012, Location Unit 4
58	Two runs of gravity roller conveyor, total length 26 m x 600mm wide, location Unit 4
59	Mil -Tek BP306E/509 a 2 x 20 Lts bale press, 8 bar operating pressure, S/No. 35045139, DOM 2004, location Unit 4
60	Seco Quick lift HPN20Q pallet truck , 2000Kg capacity, DOM 2009, location Unit 5
61	Manutan A107145 high lift (800mm) pallet truck, 1000 kg capacity, S/No.15102-46, DOM 2021, location Unit 5
62	Lifter GB2584RA 1150*525 pallet truck 2500Kg capacity, S/No.20210915193, location Unit 5
63	Clarke CST18PE heavy duty sack truck 300Kg capacity (Qty 2), location Unit 5
64	Clarke CST18PE heavy duty sack truck 300Kg capacity, location Unit 5
65	Robopac Ecoplat PPS KN/091944 turntable pallet wrapper, rotary table size 1.64m, maximum weight capacity 1500Kg, 230 volts, S/No. KN-091944, DOM 2009, location Unit 5
66	Dexion pallet racking 2 bays consisting of 3 x 3.4m x .9m uprights and 24 x 3.2m medium duty crossbeams with chipboard shelves over beams (Please note contents on racking is not included - acceptance of the final bid on this lot is subject to the contents being removed prior to collection), location ...[more]
67	Rapid Racking shelving consisting of 2 bays with 16 shelves 2.14m (L) x .92m (W) and 3m (H) uprights including chipboard shelves (Please note contents on shelving is not included - acceptance of the final bid on this lot is subject to the contents being removed prior to collection), location Unit 5
68	3 tread warehouse steps, location Unit 5
69	Pallet racking various makes and sizes as follows, two bays of Dexion pallet racking consisting of 2 x 3m x .9m uprights, 2 x 2.440m x .9m uprights, 8 x 2.7m medium duty crossbeams, two bays of unbranded pallet racking consisting of 4 x 2.84m x 1.1m uprights, 8 x 3.08m crossbeams, four bays of unbr ...[more]
70	Rapid Racking 8 bays of adjustable shelving consisting of 12 x 920mm x 770mm shelves with chipboard liners, shelving height 1.97m (please note the contents on shelving is not included - acceptance of the final bid on this lot is subject to the contents being removed prior to collection), location U ...[more]

71	Logitrans P1681 pallet truck 1600 Kg capacity, S/No. 064BO4032712, DOM 2006, location Unit 6
72	Seco Quicklift HPN20Q pallet truck 2000Kg capacity, location Unit 6
74	Clarke sack truck 300Kg capacity, location Unit 6
75	Dexion pallet racking consisting of 2 bays with 3 x 3.38m x .9m uprights, 18 x 3.2m medium duty crossbeams and chipboard shelves (Please note contents not included - acceptance of the final bid on this lot is subject to the contents being removed prior to collection), location Unit 6
76	Pramac Lifter GS2554RA1150*525 pallet truck 2500KG capacity, DOM 2021, location Unit 6
77	Pramac Lifter GS2554RA1150*525 pallet truck 2500KG capacity, S/No. 20210915352, DOM 2021, location Unit 6
80	Altendorf Elmo F45 sliding table panel saw, table size 2m x 2.5m, sliding table length, trolley length 3m, cutting width 1.3m maximum, saw blade diameter 350-500 mm, maximum cutting width 1250 mm, saw unit swivelling 45°, height adjustment and Swivel adjustment is electric, cutting to length at the ...[more]
81	Makita DXT LS1216L mitre saw swivel table, 230 volts, 1550 watts including Makita VC3511L vacuum extraction unit 230 volts, 1300 w, S/No. 4358G, DOM 2012, location Manor Building
82	Axminster White AWHBS45ON vertical bandsaw, blade speed 9m-sec to 14m-sec, maximum cutting depth 280mm, maximum cutting width 460mm, 0 -45° tilting table, table size 540mm x 490mm, 240 volts 2.2Kw, machine overall size 870mm x 720mm x 1890mm 230 Kg, location Manor Building
83	Startrite Mercury MK II bench top pedestal drill with 215mm x 220mm rise and full work table, 10 spindle speeds from 350 to 3830 r.p.m, 230 volts, S/No.47236, location Manor Building
84	Clarke VRS1 pedestal rotary grit sander, maximum spindle speed 1400 r.p.m, 230 volts, location Manor Building
85	Dewalt DW708-GB type 2 mitre saw with swivel table, 305mm saw blade 240 volts, location Manor Building
86	Axminster AW19FTH 600779 floor standing tilt head morticer, foot pedal operated, spindle speed 1400 r.p.m, chisel capacity 19mm, maximum chisel stroke 210mm, table movement longways 280mm, crossways 140mm, table size 537mm x 191m, tilting table +/- 20°, 240 volts, overall machine size 560mm (L) x 61 ...[more]
87	Hoffman Morso manual mitre guillotine, foot pedal operated, with swivel work table, S/No. 66795, location Manor Building
88	Hoffman Morso manual mitre guillotine, foot pedal operated, with swivel work table, S/No. 64825, location Manor Building
89	Hoffman MU2 dovetail routing machine, 580mm x 260mm work table , 240 volts, location Manor Building
90	Axminster ED16B2 pillar drill with 290mm x 290mm rise and full work table, 178mm throat, spindle speed range 120-2580 r.p.m, 16mm keyless drill check, 230 volts, 650w, S/No. 700100, location Manor Building
91	Sedgwick TA400 rip saw, table size 900mm x 1100mm, with fitted 610mm x 250mm extension wing table, 420 volts, location Manor Building

92	Gibbs Sedgwick ST150 Standard pedestal sander with Clarke CDE7B single bag woodworker dust collection unit, 230 volts, CE marked, S/No. 5826, DOM 2015, location Manor Building
93	Dust extraction down draft workbench with 2m x 900mm work table, location Manor Building
94	Mirka DE1230 LPC dust extractor vacuum cleaner, 230 volts, 1200w, S/No.944790954-053, location Manor Building
95	Wadkin SC1X spindle moulder fitted with Co-Matic AF48 powered feeder head 380-440 volts, S/No.EQ340 -618315, location Manor Building
97	Volpato - Lasm RCG-1200 double sided wide belt box sander, belt speed 26 metres second with 920mm x 350mm lateral work table, maximum working length 1200mm, width 1200mm, height 230mm, 415 volts, overall size 2200mm x 1900mm x 1150mm, CE marked, S/No. VO4243, DOM 2004, location Manor Building
98	Holytek PW-120 horizontal oscillating belt edge sander, table size 300mm x 1200mm, working capacity 180 - 1100mm, 415 volts, S/No. 581, DOM 1998, location Manor Building
99	Wadkin UR162 overhead pin router with 900mm x 600mm usable table, 400 volts, S/No.UR 162, location Manor Building
100	SAC Leviga 40 LE4011.RRT through feed belt sander, belt width 1120mm 400 volts, S/No. 208227, DOM 2010, location Manor Building
101	Sedgwick multi-head tenoner, 800mm x 300mm work table, 400 volts with Cromton series 3000 control panel, location Manor Building
102	Griggio T100 spindle moulder, 1000mm x 640mm table fitted with Burgreen BLG-8 power feeder unit, S/No. 9202486, DOM 1999, location Manor Building
103	Sedgwick multi-head tenoner, 800mm x 300mm work table 400 volts 3 Ph., location Manor Building
104	Paoloni T112CF spindle moulder with Smith 34 powered feeder, 1200 x 600mm work table, working speeds 2500 up to 8500 r.p.m, 4 speed powered 3 roller feeder, 415 volts 3 Ph., S/No. 3718, DOM 2000, location Manor Building
105	Sedgwick multi-head tenoner, table size 800mm x 300mm, Brook Crompton series 2000 control panel, 415 volts 3 Ph., S/No. 86228/005, DOM 1987, location Manor Building
106	Steton T40 CC spindle moulder with 1200mm x 400mm usable work table fitted Comatic power feeder, 415 volts 3 Ph., location Manor Building
107	Sedgwick spindle moulder fitted with Steff 2034 powered feeder, 400 volts 3 Ph., S/No.1271500086, DOM 2015, location Manor Building
108	Omec 750 CN dovetailer with Weintek display, single spindle, spindle speed up to 18,000rpm, 2 feed speeds, maximum height of dovetails 18mm, minimum front and side thickness 7mm & 10mm, maximum front thickness, maximum width of component 480mm, 415 volts 3 Ph., S/No. 120043, DOM 2012, location M ...[more]
109	Wadkin Bursgreen planer thicknesser, table size 100mm x 310mm 415 volts 3 ph., S/No. 12BAOS753911, location Manor Building
110	Omga CIRN600 350 radial arm cross cut saw, capacity 600mm, maximum depth of cut 90° 175mm, maximum depth of cut 45° 80mm, ripping capacity 825mm, saw diameter 350mm, arbor speed 3200 r.p.m, 400 volts 3 ph., S/No. 3268551, DOM 1999, location Manor Building

111	Leonard fork truck tipping skip, 1500mm x 1000mm, 2500Kg capacity, location Manor Building
112	Depurco Bull Uno 65 LT industrial vacuum, 65 litre capacity, dust class L, 240 volts 3 Kw, S/no.m11-101, DOM 2011, location Manor Building
113	JLT Clamps 79F-8PC panel clamping frame, 8' x 5 row panel clamp, location Manor Building
114	JLT Clamps panel PLA05JLT clamping frame, 8' x 5 row panel clamp, location Manor Building
115	JLT Clamps 79-12 panel clamping frame, 8' x 5 row panel clamp, location Manor Building
116	JTL 79K-7-DDC pneumatic double door clamping frame, location Manor Building
117	Stromab RS650 S radial arm saw crosscut capacity 650 mm, depth of cut at 45°, crosscut capacity at 45° 460 mm, depth of cut 100 mm saw blade diameter 350mm, arbor speed 2800 r.p.m, 415 volts, S/No. 3375, DOM 2010, location Manor Building
118	Cosma 1300/30 through feed panel brush denibbing sander, maximum working width capacity 1300 mm, maximum working thickness capacity 30 mm, rubber table vacuum conveyor belt angle mounted slat brush denibbing sander heads, powered raise and lower of sanding heads, 9.73 kw, 415 volts, S/No. 405, DOM 2 ...[more]
119	Viet S3-323TM calibrating denibbing sanding machine, working width 1350 mm, sanding belt dimensions 2620 x 1380 mm, Infeed speed 3 - 16 m/min, Infeed motor 3 KW, Passage height maximum 160 mm, main motor power 15 kW, feed rate maximum 16m/min, continuously variable feed, S/No. 4810320, DOM 2004, loc ...[more]
120	Fercell Clean Air Active ST/25 down draft steel sanding bench, 2.5m (L) x 1m (W) x .9m (H), S/No. ST471, DOM 2004, location Manor Building
121	Fercell Clean Air Active ST/25 down draft steel sanding bench, 2.5m (L) x 1m (W) x .9m (H), S/No. ST470, DOM 2004, location Manor Building
122	Fercell Clean Air Active ST/25 down draft steel sanding bench, 2.5m (L) x 1m (W) x .9m (H)S/No. ST 466, DOM 2004, location Manor Building
123	Mirka ROS650DE pneumatic rotary pad sander including Mirka DE1230 LPC 1200 watt dust extraction vacuum cleaner, S/No.919390954058, location Manor Building
124	Mirka ROS650DE pneumatic rotary pad sander including Mirka DE1230 LPC 1200 watt dust extraction vacuum cleaner, S/No. 919390954014, location Manor Building
125	Mirka ROS650DE pneumatic rotary pad sander including Mirka DE1230 LPC 1200 watt dust extraction vacuum cleaner, S/No.919390954071, location Manor Building
126	Depureco M65SP M Industrial workshop vacuum cleaner 220 volts, 4.4 H.P, S/No. M99.098, DOM 2019, location Manor Building
127	Rapid Racking and unbranded 5 bays of cantilever timber storage racking 500 kg capacity per arm consisting of 1 x double sided 5 arm cantilever rack, 1 x double sided 7 arm cantilever rack, 3 x single sided 3 arm cantilever racks distance between arms for all racks approx. 1.5m height of all racks a ...[more]

128	Rapid Racking and unbranded 5 bays of cantilever timber storage racking single sided 1000 kg capacity per arm maximum of 5 arms per rack, distance between arms for all racks approx. 1.5m height of all racks approx. 3 m, location Manor Building (Contents on the racking is excluded - acceptance of the ...[more]
129	28 x Multi arm drying trolleys, approx. size 570mm x 550mm x 1.88m, location Manor Building
130	Clark Devil 370SPC Inferred heater with remote control, 230 volts, 2.8 Kw, DOM 2019, location Manor Building
131	Rhino TQ3 mobile thermo quartz electric heater 230 volts, 2.2 Kw, location Manor Building
132	Rhino TQ3 mobile thermo quartz electric heater 230 volts, 2.2 Kw, location Manor Building
133	Rhino TQ3 mobile thermo quartz electric heater 230 volts, 2.2 Kw, location Manor Building
134	Manutan A170145 high lift Pallet trucks, 1000 kg capacity, S/No. 18570-113, DOM 2021, location Manor Building
135	Ingersoll Rand SSR M15 rotary screw air compressor, maximum working pressure 7.5 bar, 415 volts, 20464 recorded running hours on the 12-12-22, location Manor Building
136	Ingersoll Rand SSRUP5-15-7 air compressor 7.5 bar working pressure, 415 volts, 46934 recorded running hours, on the 12-12-22, S/No. 2190104, 2002, location Manor Building
137	Beko Drypoint RA55 compressed air dryer, flow rate 330 M ³ / Hour, refrigerant R404A/0.7Kg, 230 volts, S/No. 80007073, DOM 2008, location Manor Building
138	OKS Klein vertical welded 250 litre air receiver, 11 bar maximum working pressure, S/No.561536, DOM 2011, location Manor Building
139	Sealey HVD24.V2 24" electric cooling fan, 2017, location Manor Building
140	Binks single sprayer dryback spray booth with overhead lighting 3.92m x 2.5m (internal usable depth 1.5m) x 2.5m (H) exhaust pipe from rear of spray booth though outside wall to be board up by purchaser if taken with booth, location Manor Building
141	Single sprayer dryback spray booth with overhead flame proof lighting 4.5m (L) x 2.5m (W) (internal usable depth 1.32m) x 2.5m (H) exhaust pipe from rear of spray booth though outside wall to be board up by purchaser if taken with booth, location Manor Building
142	Two person operating station dryback spray booth with overhead flame proof lighting 5m (L) x 2.25m (W) (internal usable depth 1.1m) x 2.5m (H) exhaust pipe from rear of spray booth though outside wall to be board up by purchaser if taken with booth, location Manor Building
143	Twin double door gas heated drying booth, 6m (L) x 3.3m (W) x 2.35m (H) double door size 2.2m (W) x 2.2m (H) top mounted gas heating burner with wall mounted airflow heating controller unit, location Manor Building
144	Sames Kremlin- Sprayshop Amorrells Brand 30-C25 paint spray pump 30:1 ratio EX rated mount on mobile trolley stand including Sames Kremlin spray gun, Dom 2019
145	Sames Kremlin- Sprayshop Amorrells Brand 30-C25 paint spray pump 30:1 ratio EX rated mount on mobile trolley stand including Sames Kremlin spray gun, DOM 2015, location Manor Building

146	Sames Kremlin- Sprayshop EOS Pumo 30-C25 paint spray pump 30:1 ratio EX rated mount on mobile trolley stand including Sames Kremlin spray gun, DOM 2021, location Manor Building
147	Sames Kremlin- Sprayshop Amorrells Brand 30-C25 paint spray pump 30:1 ratio EX rated mount on mobile trolley stand including Sames Kremlin spray gun, DOM 2018, location Manor Building
148	Double door flammable liquid storage cupboard, 1.66m (W) x 1.83m (H) x 840mm (D), location Manor Building
149	Clark Devil 370SPC Inferred heater with remote control, 230 volts, 2.8 Kw, 2019, location Manor Building
150	Dry back galvanised customised spray booth 3.4m (L) x 1.86m (W) extended with wooden side panels and corrugated plastic roofing, location Manor Building
151	Kremlin Rexson 30-C25 paint spray pump 30:1 ratio mount on mobile trolley stand including Sames Kremlin spray gun, 2015, location Manor Building
152	Sack truck, location Manor Building
153	Unbranded wide fork pallet truck, 1500Kg capacity, location Manor Building
154	Clarke 300Kg capacity fold down 4 wheel sack truck trolley, location Manor Building
155	Freestanding board storage rack 1.43m (L) x 1.44m (H) x 1m (D) (Please note contents of rack not included - acceptance of the final bid on this lot is subject to the contents being removed prior to collection), location Manor Building
157	Leonard fork truck tipping skip, 1500mm x 1000mm, 2500Kg capacity, location Manor Building
158	Three bays of pallet racking Bay 1 and 2 consists of 2 x 3.4m x .9m uprights and 6 x 3.2 m medium duty crossbeams with chipboard shelves, Bay 3 consists of Dexion racking with 2 x 2.43m x 770mm uprights, 6 x 2.67m medium duty crossbeams (Please note that the contents of all racking is not included - ...[more]
159	Stanley plastic folding trussells (5 pairs), location Manor Building
160	Unbranded stair walker sake truck, location Manor Building
161	Irwin Quick-Grip 1.25m long clamps (Qty 20), location Manor Building
162	Record 135 sash clamps (Qty 18), location Manor Building
163	Record 136 sash clamps (Qty 10), location Manor Building
164	Titan TTB774VAC wet and dry 16 Lts vacuum cleaner, 220-240 volts, S/No. 22W2901360, location Manor Building
165	Titan TTB774VAC wet and dry 16 Lts vacuum cleaner, 220-240 volts S/No 22W1501146, location Manor Building
166	Clarke CBG8W Wetstone grinder 200mm 8" 240 volts, location Manor Building

167	Flatbed trolley, bedsize 500mm x 850mm with removable handle (Qty 2), location Manor Building
168	Titan TTB774VAC wet and dry 16 Lts vacuum cleaner, 220-240 volts, S/No. 22W1501873, location Manor Building
169	Dust Pollution Systems steel fabricated dust extraction collection system complete with hopper (c.4m x 3m) associated fans, motors, filters and ducting (associated with Unit 3 woodworking machinery) please view photos for plates of component parts, location Yard
170	Air Plants Dust Extraction Systems and Dust Pollution Systems steel fabricated dust extraction collection system complete with hopper (associated fans, motors, filters and ducting (associated with Manor Building wood working machinery) please view photos for plates of component parts, location Yard
171	PRM Waste Systems MP14-15STD static waste compactor that suitable for a wide variety of recyclable and non recyclable waste products (Skip not included) location Yard
175	Ohrus Defender 3000 floor scale capacity 2000Kg x 0.2Kg including wall mountable T31P digital scale display
176	Grey steel single door chemical storage cupboard 450mm x 450mm x900mm
177	Qty 7 - Rapid Racking workshop benches with chip board or MDF tops to include 1 x 2.12m (L) x .8m (W) x .960m (H), 1 x 1.25m (L) x .8m (W) x .96m (H), 1 x 1.93m (L) x .82m (W) x .94m (H), 1 x 2.02m (L) x .8m (W) x .84m (H), 1 x 2.04m (L) x 1m (W) x .84m (H), 1 x 1.84m (L) x 1m (W) x .84m (H), 1 x ...[more]
178	Qty 2 - Klarstein barrel type 3-in-1 wet - dry workshop vacuum cleaner, 230 volts
180	Grey steel single door chemical storage cupboard 450mm x 450mm x900mm
181	Qty 5 - Kantenfix 48mm wide edge clamps
182	DeWalt DW682 Type 3 plate joiner, maximum spindle speed 10,000 r.p.m, 230 volts, 600 w, S/No QS 953793
183	Makita PJ7000 plate joiner 230 volts
184	Makita RP0910 handheld router, maximum spindle speed 27,000 r.p.m, tool capacity 8mm diameter, 230 volts
185	Elu DS140 biscuit joiner groover, 220-240 volts, S/No 3011314
186	Makita 9404 100mm x 610mm continuous belt sander , belt speed 210/440m/min, 240 volts, 1010 w
187	Makita AF201Z pneumatic headless pin nailer, nail length 12-25mm, compressed air requirements from 3.9 to 6.8 bars
188	Spotnails WIB1850 pneumatic brad nailer, capacity 18 gauge 1" to 2" nailer S/No. 055106
189	Spotnails WIB1850 pneumatic brad nailer, capacity 18 gauge 1" to 2" nailer S/No.1025505
190	DeWalt D26414GB 200 W heat gun, temperature range 50-400 °C, 230 volts

191 Qty 5 - Clarke type Cat 116 pneumatic pistol drills

192 Qty 3 - Black and Decker workmate folding work benches
